


## Molecular Lighting Room Status Indication Monitor



Molecular Lighting Room Status Indication Monitor is made of 316 stainless steel, ensuring its outdoor use near the sea or where there are problems of oxidation. Its function is based on molecular lighting technology (diffusion of light in transparent surfaces) and ensures a fantastic result of room enumeration and hotel room status indication. The maquette inside is produced in accordance to the requirements of the hotel unit and is printed on back light surface so as to ensure resistance to sunlight or light.

Maquette dimensions 12x12 cm

Dimensions 16x16 cm



Installation box dimensions 14x14,5x3,5 cm



## Molecular Lighting Room Status Indication Monitor

It operates with Room Energy Managers Type M-30 and by changing its color for white to red it indicates the room's status (empty/occupied), giving valuable information to the hotel staff. The color changes automatically when a card is inserted into the card reader. It also works as ambient lighting to the corridors, ensuring a beautiful result and a safe and sweet environment. The cutting edge technology that it uses ensures a perfect lighting effect, minimum energy consumption and big life span. The themes contribute to the creation of value to the hotel unit, increase the luxury level and participate to the overall company marketing.




## MOLECULAR LIGHTING CORRIDOR INDICATION

**DIMENSIONS 16 cm x 28 cm**

Maquette dimensions 12x24 cm

Installation box dimensions 26x14,5x6.3 cm


## MOLECULAR LIGHTING CORRIDOR INDICATION WIRING



L  
N

230VAC

## TYPE M-30 ROOM ENERGY MANAGER WITH CARDREADER



Order No	type	type
004.14.02.01	Room Energy Manager + Monitoring	M - 30
078.12.00.01	Molecular Lighting Room Status Indication Monitor	
901.02.04.00	RF Energy Saving Switch	IC 309
901.01.04.01	IC 308/309 Controller .	
090.06.01.00	Magnetic Trap 42x13,5x8mm	12V External
901.02.02.0x	RF-CARD (printed or blank)	For IC 309